

Achievements (Shinro Matsuo)

Books

- 1) **Shinro Matsuo**, Kenichi Nakajima, Nasima Akhter, Koichi Okuda, Seigo Kinuya. Diagnostic and prognostic cardiac imaging in cardiomyopathies. *Cardiomyopathies: Causes, Effects and Treatment*. NOVA publishers 2009, p. p. 35-43.
- 2) **Shinro Matsuo**, Nasima Akhter. Prenatal diagnosis of congenital fetal heart disease. *Congenital Heart Defects: Etiology, Diagnosis and Treatment*. NOVA publishers 2009, p. p. 79-95.
- 3) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Coronary artery atherosclerosis measured by a hybrid SPECT/CT camera. *Atherosclerosis risk factors, prevention and treatment*. pp.163-170. NOVA publishers 2012.
- 4) **Shinro Matsuo**. Diagnosis of Coronary Artery Disease with Myocardial Perfusion Imaging. eBook; ***Clinical Nuclear Cardiology: Practical Applications and Future Directions***. Bentham eBooks First edition 2019.
- 5) **Shinro Matsuo**. MIBG and heart failure. eBook; ***Clinical Nuclear Cardiology: Practical Applications and Future Directions***. Bentham eBooks First edition 2019.
- 6) **Shinro Matsuo**. Atherosclerosis Imaging. eBook; ***Clinical Nuclear Cardiology: Practical Applications and Future Directions***. Bentham eBooks First edition 2019.
- 7) **Shinro Matsuo**. Nuclear Cardiology for the diagnosis of Takotsubo Syndrome. eBook; ***Clinical Nuclear Cardiology: Practical Applications and Future Directions***. Bentham eBooks First edition 2019.

Paper

- 1) **Shinro Matsuo**, Masayuki Takahashi, Yasuyuki Nakamura, Masahiko Kinoshita. Evaluation of cardiac sympathetic innervation with iodine-123-metaiodobenzylguanidine imaging in silent myocardial ischemia. *J Nucl Med* 37:712-717;1996.

- 2) **Shinro Matsuo**, Yasuyuki Nakamura, Masayuki Takahashi, Kenichi Mitsunami, Masahiko Kinoshita. Myocardial metabolic abnormalities in hypertrophic cardiomyopathy assessed by iodine-123-labeled beta-methyl-branched fatty acid myocardial scintigraphy and its relation to exercise-induced ischemia. *Jpn Circ J* 62:167-172;1998.
- 3) Tuhin Haque, Takami Furukawa, Shintaro Yoshida, Keiko Maeda, **Shinro Matsuo**, Masayuki Takahashi, Masahiko Kinoshita. Echocardiography and fatty acid single photon emission tomography in predicting reversibility of regional left ventricular dysfunction after coronary angioplasty. *Eur Heart J* 19(2):332-341;1998.
- 4) **Shinro Matsuo**, Yasuyuki Nakamura, Masahiko Kinoshita. Warfarin reduces silent cerebral infarction in elderly patients with atrial fibrillation. *Coronary Artery Dis.* 9:223-226;1998.
- 5) **Shinro Matsuo**, Yasuyuki Nakamura, Masayuki Takahashi, Yasuyoshi Ouchi, Kazuaki Hosoda, Masato Nozawa, Masahiko Kinoshita. Effect of red wine and ethanol on production of nitric oxide in healthy subjects. *Am J Cardiol* 87:1029-1031; 2001.
- 6) **Shinro Matsuo**, Yasuyuki Nakamura, Masayuki Takahashi, Toshiki Matsui, Junya Kusakawa, Shintaro Yoshida, Hajime Hamamoto, Masahiko Kinoshita. Cardiac sympathetic dysfunction in athlete's heart detected by 123I MIBG scintigraphy. *Jpn Circ J* 65(5):371-374; 2001.
- 7) **Shinro Matsuo**, Yasuyuki Nakamura, Toshiki Matsui, Tetsuya Matsumoto, Masahiko Kinoshita. Detection of denervated but viable myocardium in cardiac sarcoidosis with I-123 MIBG and Tl-201 SPECT Imaging. *Ann Nucl Med* 15:373-5; 2001.
- 8) **Shinro Matsuo**, Yasuyuki Nakamura, Tetsuya Matsumoto, Masayuki Takahashi, Masahiko Kinoshita. Detection of coronary microvascular disease by means of cardiac scintigraphy. *Can J Cardiol* 18(2):183-6; 2002.
- 9) **Shinro Matsuo**, Yasuyuki Nakamura, Masahiko Kinoshita. Cardiac sympathetic nerve dysfunction detected by I-123 MIBG scintigraphy in Churg-Strauss syndrome. *International Medical Journal* 9(1): 37-39; 2002

- 10) **Shinro Matsuo**, Yasuyuki Nakamura, Masahiko Kinoshita. Post-stress left ventricular function in patients with coronary artery disease measured by Tl-201 ECG-gated single-photon emission tomography. *Exp Clin Cardiol* 7 (1): 30-34; 2002.
- 11) **Shinro Matsuo**, Yasuyuki Nakamura, Takayoshi Tsutamoto, Masahiko Kinoshita. Impairments of myocardial sympathetic activity may reflect the progression of myocardial damage or dysfunction in hypertrophic cardiomyopathy. *J Nucl Cardiol* 9(4);407-12: 2002.
- 12) **Shinro Matsuo**, Ichiro Nakae, Masahiko Takada, Kiyoshi Murata, Yasuyuki Nakamura. Noninvasive identification of myocardial sympathetic and metabolic abnormalities in a patient with restrictive cardiomyopathy-in comparison with perfusion imaging- *Ann Nucl Med* 16(8), 569-572, 2002.
- 13) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Hiroyuki Takashima, Yasuyuki Nakamura Minoru Horie. Non-Invasive detection of endothelial dysfunction in femoral artery using thallium-201 scintigraphy. *International Medical Journal* 10(1):39-42; 2003.
- 14) **Shinro Matsuo**, Ichiro Nakae, Yasuyuki Nakamura, Minoru Horie. Viable but denervated myocardium in a patient with eosinophilic myocarditis. *International Medical Journal* 10(1):57;2003.
- 15) Tetsuya Matsumoto, Kazuo Minai, Hajime Horie, Naoto Ohira, Hiroyuki Takashima, Yasuhiro Tarutani, You Yasuda, Tomoya Ozawa, **Shinro Matsuo**, Masahiko Kinoshita, Minoru Horie. Angiotensin-converting enzyme inhibition but not angiotensin II type 1 receptor antagonism augments coronary release of tissue plasminogen activator in hypertensive patients. *J Am Coll Cardiol* 41:1373-9;2003.
- 16) **Shinro Matsuo**, Yasuyuki Nakamura, Masahiko Kinoshita, Minoru Horie. Plasma B-type natriuretic peptide measurement in asymptomatic population. *International Medical Journal* 10:105-108; 2003.
- 17) Ichiro Nakae, Tetsuya Matsumoto, Tomoko Omura, Hiroyuki Takashima, Naoto Ohira, Yasuhiro Tarutani, Yo Yasuda, **Shinro Matsuo**, Terue Koh, Yasuyuki Nakamura, Masahiko Kinoshita, Minoru Horie. Endothelial modulation

and tolerance development in the vasorelaxant responses to nitrate of rabbit aorta. *Life Sci.* 73:3083-94;2003.

18) Ichiro Nakae, Kenichi Mitsunami, Tomoko Omura, Takahiro Yabe, Takayoshi Tsutamoto, **Shinro Matsuo**, Masayuki Takahashi, Shigehiro Morikawa, Toshiro Inubushi, Yasuyuki Nakamura, Masahiko Kinoshita, Minoru Horie. Proton magnetic resonance spectroscopy can detect creatine depletion associated with the progression of heart failure in cardiomyopathy. *J Am Coll Cardiol* 42:1587-93; 2003.

19) **Shinro Matsuo**, Yasuyuki Nakamura, Tetsuya Matsumoto, Ichiro Nakae, Masahiko Takada, Kiyoshi Murata, Minoru Horie. Prognostic value of iodine-123 metaiodobenzylguanidine imaging in patients with heart failure. *Exp Clin Cardiol* 8:95-98; 2003.

20) **Shinro Matsuo**, Yasuyuki Nakamura, Tetsuya Matsumoto, Ichiro Nakae, Hiroyuki Nagatani, Ryutaro Takazakura, Masashi Takahashi, Kiyoshi Murata, Minoru Horie. Visual assessment of coronary artery stenosis with electrocardiographically-gated multislice computed tomography. *Int J Cardiovasc Imag* 20(1):61-66; 2004.

21) Yasuyuki Nakamura, Shinji Tamaki, Yasukazu Uchida, Nobuyuki Ohmichi, Osamu Yamaoka, Nobuo Miyauchi, Takehisa Fukuhara, Harumi Sayama, Tetsuhiro Yamada, **Shinro Matsuo**, Yutaka Yamada. Angiotensin converting enzyme genotype influences the response to the angiotensin II receptor antagonist Losartan in patients with hypertension. *Hypertens Res* 27(3):137-140; 2004.

22) Ichiro Nakae, Kenichi Mitsunami, **Shinro Matsuo**, Tetsuya Matsumoto, Shigehiro Morikawa, Toshiro Inubushi, Terue Koh, Minoru Horie. Assessment of myocardial creatine concentration in dysfunctional human heart by proton magnetic resonance spectroscopy. *Magnetic Resonance in Medical Sciences* 3(1):19-25; 2004.

23) **Shinro Matsuo**, Tetsuya Matsumoto, Hiroyuki Takashima, Naoto Ohira, Tetsunobu Yamane, Yo Yasuda, Yasuhiro Tarutani, Minoru Horie. The relationship between flow-mediated brachial artery vasodilation and coronary vasomotor responses to bradykinin: comparison with those to acetylcholine. *J Cardiovasc Pharm* 44(2):164-70; 2004.

- 24) **Shinro Matsuo**, Yasuyuki Nakamura, Ichiro Nakae, Tetsuya Matsumoto, Masahiko Takada, Kiyoshi Murata, Minoru Horie. Scintigraphic evaluation of cardiac metabolism in multicentric Castleman`s disease. Internal Med 43:490-492, 2004.
- 25) Tetsuya Matsumoto, Hiroyuki Takashima, Naoto Ohira, Yasuhiro Tarutani, Yo Yasuda, Tetsunobu Yamane, **Shinro Matsuo**, Minoru Horie. Plasma level of oxidized low-density lipoprotein is an independent determinant of coronary macrovasomotor and microvasomotor responses induced by bradykinin. J Am Coll Cardiol. 21;44(2):451-7; 2004.
- 26) Ichiro Nakae, Kenichi Mitsunami, Takahiro Yabe, Toshiro Inubushi, Shigehiro Morikawa, **Shinro Matsuo**, Terue Koh, Minoru Horie. Detection of metabolic abnormality in asynergic regions of ischemic human myocardium using ³¹P and ¹H magnetic resonance spectroscopy. J Cardiovasc Magn R. 6(3):685-96;2004.
- 27) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Terue Koh, Daisuke Masuda, Masahiko Takada, Kiyoshi Murata, Minoru Horie, Prognostic value of ECG-gated thallium-201 single-photon emission tomography in patients with coronary artery disease. Ann Nucl Med 18(7):617-622 ; 2004.
- 28) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae Makoto Ito, Yasuyuki Nakamura, Masahiko Takada, Kiyoshi Murata, Minoru Horie. Evaluation of cardiac resynchronization therapy in drug-resistant idiopathic dilated cardiomyopathy by means of Tc-99m tetrofosmin ECG-gated SPECT. Exp Clin Cardiol 9(4);248-250, 2004.
- 29) **Shinro Matsuo**, Ichiro Nakae, Daisuke Masuda, Tetsuya Matsumoto, Minoru Horie. Dilated cardiomyopathy relieved as a result of β -blocker therapy: A case report-key points in assessment of prognosis based on MIBG myocardial scintigraphy and BNP levels. Ann Nucl Med 19(3):243-246;2005.
- 30) Ichiro Nakae, Kenichi Mitsunami, **Shinro Matsuo**, Toshiro Inubushi, Shigehiro Morikawa, Takayoshi Tsutamoto, Terue Koh, Minoru Horie. Myocardial creatine concentration in various nonischemic heart disease assessed by ¹H magnetic resonance spectroscopy. Circ J 69:711-716;2005.
- 31) Ichiro Nakae, Kenichi Mitsunami, **Shinro Matsuo**, Toshiro Inubushi,

Shigehiro Morikawa, Terue Koh, Minoru Horie. Detection of calf muscle alteration in patients with chronic heart failure by 31P magnetic resonance spectroscopy: Impaired adaptation to continuous exercise. *Exp Clin Cardiol* 10(1):4-8; 2005.

32) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Daisuke Masuda, Masahiko Takada, Kiyoshi Murata, Minoru Horie. Noninvasive identification of myocardial sympathetic and metabolic abnormalities in a patient with “Takotsubo” cardiomyopathy. *International Medical Journal* 12(2); 143-144; 2005.

33) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Makoto Ito, Minoru Horie. Anomaly of the left atrium in patients with atrial fibrillation detected by ECG-gated multislice computed tomography. *Int J Cardiovasc Imag* 21(4), 455-458;2005.

34) **Shinro Matsuo**, Ichiro Nakae, Tetsuya Matsumoto, Minoru Horie. Noninvasive evaluation of coronary artery plaque with electrocardiographically-gated multislice computed tomography. *Comput Med Imag Grap CMIG Extra Cases* 29:13-18; 2005.

35) Ichiro Nakae, **Shinro Matsuo**, Terue Koh, Kenichi Mitsunami, Minoru Horie. Left ventricular systolic/diastolic function evaluated by quantitative ECG-gated SPECT: comparison with echocardiography and plasma BNP analysis. *Ann Nucl Med* 19(6):447-454; 2005.

36) **Shinro Matsuo**, Tasuyuki Nakamura, Tetsuhiro Yamada, Uchida, Ichiro Nakae, Minoru Horie. Effect of statin therapy on arterial stiffness in patients with hyperlipidemia: Shiga Pravastatin Atherosclerosis Study (SHIPAS). *Journal of Applied Reserch* 5(2):397-401; 2005.

37) Ichiro Nakae, **Shinro Matsuo**, Terue Koh, Kenichi Mitsunami, Minoru Horie. Clinical significance of plasma BNP measurement in patients with psychiatric disease. *International Medical Journal* 12(3):181-184; 2005.

38) **Shinro Matsuo**, Ichiro Nakae, Tetsuya Matsumoto, Minoru Horie. Impact of endothelial dysfunction on left ventricular remodeling after successful primary coronary angioplasty for acute myocardial infarction- Analysis by quantitative ECG-gated SPECT- *Ann Nucl Med* 20(1): 57-62; 2006.

- 39) **Shinro Matsuo**, Ichiro Nakae, Daisuke Masuda, Tetsuya Matsumoto, Minoru Horie. Scintigraphic evaluation of cardiac metabolism and sympathetic nerve function in alcoholic cardiomyopathy. Intern Med 45(7): 465-7; 2006.
- 40) **Shinro Matsuo**, Yuichi Sato, Akashi Miyamoto, Ichiro Nakae, Michio Saeki, Keiko Hodohara, Minoru Horie. Primary malignant lymphoma of the right atrium resulting in superior vena cava syndrome in a HIV positive patient: depiction at multi-detector computed tomography and magnetic resonance imaging. Cardiovascular Revascularization Medicine 7: 255-257; 2006
- 41) Yuichi Sato, Naoya Matsumoto, Noriko Kinukawa, **Shinro Matsuo**, Sei Komatsu, Taeko Kunimasa, Shunichi Yoda, Shigemasa Tani, Yuji Kasamaki, Satoshi Kunimoto, Satoru Furuhashi, Motoichiro Takahashi, Satoshi Saito. Successful treatment of primary cardiac B-cell lymphoma: depiction at multislice computed tomography and magnetic resonance imaging. Int J Cardiol 113(1)26, E26-E29, 2006.
- 42) **Shinro Matsuo**, Yuichi Sato, Ichiro Nakae, Daisuke Masuda, Naoya Matsumoto, Minoru Horie. Evaluation of cardiac resynchronization therapy in drug-resistant dilated-phase hypertrophic cardiomyopathy by means of Tc-99m sestamibi ECG-gated SPECT. Ann Nucl Med 20(9), 643-647, 2006.
- 43) Naoya Matsumoto, Yuichi Sato, Taeko Kunimasa, **Shinro Matsuo**, Masahiko Kato, Shunichi Yoda, Yasuyuki Suzuki, Shigemasa Tani, Motoichiro Takahashi, Satoshi Saito. Noncompaction of the ventricular myocardium mimicking ischemic cardiomyopathy. Ann Nucl Med 20(9), 639-641, 2006.
- 44) Ichiro Nakae, **Shinro Matsuo**, Terue Koh, Kenichi Mitsunami, Minoru Horie. I-123 BMIPP scintigraphy in the evaluation of patients with heart failure. Acta Radiol 47:810-816, 2006.
- 45) **Shinro Matsuo**, Yuichi Sato, Ichiro Nakae, Yuko Oka, Minoru Horie. Cardioverter defibrillator implantation in a patient with double chambered right ventricle. Int J Cardiac Imag 23(4):459-62; 2007.
- 46) Yukihiro Nagatani, Masashi Takahashi, Ryutaro Takazakura, Norihisa Nitta, Kiyoshi Murata, Noritoshi Ushio, **Shinro Matsuo**, Takashi Yamamoto, Minoru Horie. Multidetector-row computed tomography coronary

angiography-optimization of image reconstruction phase according to the heart rate- Circ J 71:112-121; 2007.

47) Yuichi Sato, Makoto Ichikawa, Sei Komatsu, **Shinro Matsuo**, Taeko Kunimasa, Junko Honye, Shunichi Yoda, Naoya Matsumoto, Shigemasa Tani, Yuji Kasamaki, Satoshi Saito. Multidetector-row computed tomographic findings in a patient with anomalous origin of the right coronary artery from the left sinus of valsalve. Cardiovascular Revascularization Medicine 8(1):60-2; 2007.

48) Yuichi Sato, Sei Komatsu, **Shinro Matsuo**, Naoya Matsumoto, Shunichi Yoda, Shigemasa Tani, Satoshi Kunitomo, Tadateru Takayama, Yuji Kasamaki, Satoshi Saito. Isolated subvalvelar pulmonary stenosis: Depiction at whole heart magnetic resonance imaging. Int J Cardiovasc Imag 23; 49-52; 2007.

49) **Shinro Matsuo**, Yuichi Sato, Ichiro Nakae, Daisuke Masuda, Makiko Yommota, Takashi Ashihara, Minoru Horie. Left ventricular involvement in arrhythmogenic right ventricular cardiomyopathy demonstrated by multidetector-row computed tomography. Int J Cardiol 14; 115(3): e129-31; 2007.

50) **Shinro Matsuo**, Yuichi Sato, Tetsuya Matsumoto, Nobu Naiki, Minoru Horie. Churg-Strauss syndrome presenting with massive pericardial effusion; case report and review of the literature. Heart and Vessels 22:128-130; 2007.

51) Yuichi Sato, **Shinro Matsuo**, Junji Kusama, Taeko Kunimasa, Shunichi Yoda, Naoya Matsumoto, Shigemasa Tani, Satoshi Saito. Lipomatous hypertrophy of the interatrial septum presenting as sick sinus syndrome. Int J Cardiol 119; 280-281; 2007.

52) Yoshitaka Sakai, Yuichi Sato, **Shinro Matsuo**, Shinobu Imai, Taeko Kunimasa, Naoya Matsumoto, Satoshi Saito. Perforation of the right ventricular free wall by an ICD lead in a patient with isolated noncompaction of the ventricular myocardium. Int J Cardiol e104-e106; 2007.

53) Yuichi Sato, Naoya Matsumoto, **Shinro Matsuo**, Miyamoto T, Iida K, Taeko Kumimasa, Munitomo S. Double chambered right ventricle: depiction at three-dimensional whole heart magnetic resonance imaging. Int J Cardiol 119: e14-e16; 2007.

- 54) Yuichi Sato, Naoya Matsumoto, Shinro Matsuo, Shunichi Yoda, Iida K, Taeko Kunimasa, Satoshi Kunimoto, Satoshi Saito. Isolated noncompaction of the ventricular myocardium in a 94-year-old patient: Depiction at echocardiography and magnetic imaging. *Int J Cardiol* 119: e32-e34; 2007.
- 55) Shinro Matsuo, Ichiro Nakae, Daisuke Masuda, Takayoshi Tsutamoto, Noriaki Okamoto, Minoru Horie. A novel clinical indicator using Tc-99m sestamibi for evaluating cardiac mitochondrial function in patients with cardiomyopathies. *J Nucl Cardiol* 14(2):215-220; 2007.
- 56) Shinro Matsuo, Tetsuya Matsumoto, Ichiro Nakae, Minoru Horie. Role of impaired sympathetic nerve function in enhancing coronary vasoconstriction in patients with hypertrophic cardiomyopathy. *Exp Clin Cardiol* 12(1):37-41; 2007.
- 57) Ichiro Nakae, Kenichi Mitsunami, Shinro Matsuo, Minoru Horie. Creatine depletion and altered fatty acid metabolism in diseased human heart: clinical investigation using 1H magnetic resonance spectroscopy and ¹²³I BMIPP myocardial scintigraphy. *Acta Radiol* 48(4):436-43; 2007.
- 58) Ichiro Nakae, Shinro Matsuo, Takayoshi Tsutamoto, Tetsuya Matsumoto, Kenichi Mitsunami, Minoru Horie. Assessment of cardiac function in patients with heart disease by quantitative gated myocardial perfusion SPECT. *Ann Nucl Med* 21 (6):315-323; 2007.
- 59) Shinro Matsuo, Yuichi Sato, Ichiro Nakae, Naoya Matsumoto, Makoto Nagaoka, Hiroshi Wada, Tetsuya Matsumoto, Minoru Horie. Effect of artificial CO₂ hot spring bathing on cholesterol crystal embolism after cardiac catheterization in a patient with normal coronary angiogram. *International Medical Journal* 6(1)C14, 2007.
- 60) Yuichi Sato, Naoya Matsumoto, Shinro Matsuo, Taeko Kunimasa, Sunichi Yoda, Shigemasa Tani, Yuji Kasamaki, Satoshi Kunimoto. Myocardial perfusion abnormality and necrosis in a patient with isolated noncompaction of the ventricular myocardium: evaluation by myocardial perfusion SPECT and magnetic resonance imaging. *Int J Cardiol* 120: e24-e26; 2007.
- 61) Shinro Matsuo, Yuichi Sato, Ichiro Nakae, Daisuke Masuda, Tetsuya Matsumoto, Minoru Horie. Depiction of a new pulmonary vein variant using

multidetector-row computed tomography. Cardiovascular Revascularization Medicine 8(3):207-8; 2007.

62) Mamoru Ayusawa, Yuichi Sato, Hiroshi Kanamaru, Kensuke Karasawa, Naoya Matsumoto, Shinro Matsuo, Satoshi Kunimoto, Satoshi Saito.

Multidetector-row computed tomographic depiction of congenital coronary artery aneurysms and ectasia. Int J Cardiol 127: e172-174; 2008.

63) Yuichi Sato, Naoya Matsumoto, Taeko Kunimasa, Shinobu Imai, Shinro Matsuo, Yoshimochi Nakano, Shunichi Yoda, Satoshi Kunimoto, Satoshi Saito. Multiple involvements of cardiac sarcoidosis in both left and right ventricles and papillary muscles detected by delayed-enhanced magnetic resonance imaging. Int J Cardiol 130(2):288-290; 2008.

64) Yuichi Sato, Naoya Matsumoto, Taeko Kunimasa, Shinro Matsuo, Sei Komatsu, Iida J, Shunichi Yoda, Tani S, Kunimoto S, Satoshi Saito, Atsushi Hirayama. Whole-heart magnetic resonance imaging of isolated subpulmonary stenosis accompanied by hypertrophic cardiomyopathy. Int J Cardiol 131(2): e73-5; 2009.

65) Naoya Matsumoto, Yuichi Sato, Yasuyuki Suzuki, Taeko Kunimasa, Shunichi Yoda, Jun Iida, Yoshimochi Nakano, Akihiro Yoshimura, Takaaki Miki, Masahiko Kato, Shinro Matsuo, Satoshi Saito, Atsushi Hirayama. Prognostic value of myocardial perfusion single photon emission computed tomography for the prediction of future cardiac event in a Japanese population. Circ J 71: 1580-1585; 2007.

66) Yuichi Sato, Naoya Matsumoto, Taeko Kunimasa, Shinichiro Iida, Shunichi Yoda, Shinro Matsuo, Shigemasa Tani, Satoshi Kunimoto, Satoshi Saito, Atsushi Hirayama. Mid-ventricular obstructive hypertrophic cardiomyopathy with apical aneurysm: Report of 2 cases. Int J Cardiol 129: e88-90; 2008.

67) Yuichi Sato, Naoya Matsumoto, Sei Komatsu, Shinro Matsuo, Taeko Kunimasa, Shunichi Yoda, Makoto Ichikawa, Yuji Kasamaki, Motoichiro Takahashi, Takahisa Uchiyama, Satoshi Saito. Coronary artery dissection after blunt chest trauma: Depiction at multidetector-row computed tomography. Int J Cardiol 118(1):108-10; 2007.

Yuichi Sato, Naoya Matsumoto, Shinro Matsuo, Shunichi Yoda, Taeko Kunimasa, Satoshi Saito. Mid-ventricular hypertrophic obstructive cardiomyopathy presenting with acute myocardial infarction. Texas Heart Institute Journal 2007; 34: 475-478.

68) Yuichi Sato, Naoya Matsumoto, **Shinro Matsuo**, Yoshitaka Sakai, Taeko Kunimasa, Shinobu Imai, Shunichi Yoda, Shigemasa Tani, Yuji Kasamaki, Tadateru Takayama, Satoshi Kunimoto, Motoichiro Takahashi, Satoru Saito. Right ventricular involvement in a patient with isolated noncompaction of ventricular myocardium. Cardiovascular Revascularization Medicine 8: 275-277;2007.

69) **Shinro Matsuo**, Yuichi Sato, Ryuji Higashida, Shoichiro Shiraishi, Toru Asai, Ichiro Nakae, Minoru Horie. A giant main pulmonary aneurysm associated with infundibular pulmonary stenosis. Cardiovascular Revascularization Medicine 9: 188-189; 2008.

70) Yuichi Sato, Naoya Matsumoto, **Shinro Matsuo**, Shunichi Yoda, Shigemasa Tani, Yuji Kasamaki, Tadateru Takayama, Satoshi Kunimoto, Satoshi Saito. Mid-ventricular obstructive hypertrophic cardiomyopathy associated with an apical aneurysm: evaluation of possible causes of aneurysm formation. Yonsei Medical Journal 48(5): 879-882; 2007.

71) Naoya Matsumoto, Yuichi Sato, Junji Kusama, **Shinro Matsuo**, Noriko Kinukawa, Taeko Kunimasa, Izumi Ichiyama, Hiroshi Takahashi, Shunichi Kimura, Yukihiro Orime, Satoshi Saito. Multiple fibroelastomas of the aortic valve: Case report. Int J Cardiol 122: e1-e3; 2007.

72) Yuichi Sato, Shunichi Yoda, Taeko Kunimasa, Naoya Matsumoto, **Shinro Matsuo**, Makoto Ichikawa, Junko Honye. Exercise-induced ischemia in a patient with dislocated right coronary orifice in the right sinus of Valsalva. Int J Cardiol 127(1): e25-6; 2008.

73) Yuichi Sato, Naoya Matsumoto, Shunichi Yoda, Taeko Kunimasa, **Shinro Matsuo**, Sei Komatsu, Shigemasa Tani, Yuji Kasamaki, Satoshi Kunimoto, Stephan Achenbach, Satoshi Saito, Atsushi Hirayama. Mid-ventricular obstructive hypertrophic cardiomyopathy with apical aneurysm: report of 2 cases. Int J Cardiol 132: e97-101; 2009.

- 74) Yuichi Sato, Naoya Matsumoto, Taeko Kunimasa, **Shinro Matsuo**, Shunichi Yoda, Shigemasa Tani, Satoshi Kunimoto, Satoshi Saito, Atsushi Hirayama. Myocardial fibrosis in a patient with apical hypertrophic cardiomyopathy detected by delayed enhanced magnetic resonance imaging. *Int J Cardiol* 131: e41-e43; 2008.
- 75) Naoya Matsumoto, Yuichi Sato, Shunichi Yoda, Yoshimochi Nakano, Taeko Kunimasa, **Shinro Matsuo**, Sei Komatsu, Satoshi Saito, Atsushi Hirayama. Prognostic value of non-obstructive CT low-dense coronary plaques detected by multislice computed tomography. *Circ J* 71: 1898-1903; 2007.
- 76) Yuichi Sato, Naoya Matsumoto, **Shinro Matsuo**, Shunichi Yoda, Satoshi Kunimoto, Satoshi Saito. Mid-ventricular hypertrophic obstructive cardiomyopathy presenting with acute myocardial infarction. *Tex Heart J* 34: 475-8; 2007.
- 77) **Shinro Matsuo**, Kenichi Nakajima, Minoru Horie, Ichiro Nakae, Tsunehiko Nishimura. Prognostic value of normal stress myocardial perfusion imaging in Japanese population: a study based on the J-ACCESS study. *Circ J* 72: 611-617; 2008.
- 78) Nasima Akter, Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Tatsuya Yoneyama, Junichi Taki, Seigo Kinuya. Regional wall thickening in gated myocardial perfusion SPECT in a Japanese population: effect of sex, radiotracer, rotation angles and frame rates. *Eur J Nucl Med Mol I* 35, 1608-1615; 2008.
- 79) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya, Yuichi Sato, Naoya Matsumoto, Minoru Horie. Cardiac scintigraphic finding of mitochondrial myopathy, encephalopathy, lactic acidosis and stroke-like episodes: a case report. *Exp Clin Cardiol* 13(2): 93-95; 2008.
- 80) Ichiro Nakae, **Shinro Matsuo**, Tetsuya Matsumoto, Kenichi Mitsunami, Minoru Horie. Augmentation index and pulse wave velocity as indicators of cardiovascular stiffness. *Angiology* 59(4): 421-426; 2008.
- 81) Naoya Matsumoto, Yuichi Sato, Shu Kasama, **Shinro Matsuo**, Taeko Kunimasa, Shunichi Yoda, Shigemasa Tani, Satoshi Kunitomo, Satoshi Saito, Atsushi Hirayama. Myocardial necrosis in both left and right ventricles detected

by delayed-enhanced magnetic resonance imaging in a patient with isolated noncompaction of the ventricular myocardium. *Int J Cardiol* 133; e94-e96; 2009.

82) Shinro Matsuo , Kenichi Nakajima, Koichi Okuda, M Kawano, T Ishikawa, T Hosoya, Junichi Taki, Seigo Kinuya. Standardization of the heart-to-mediastinum ratio of iodine-123-labeled-meta-iodobenzylguanidine uptake using dual energy window method: Feasibility of correction from different camera-collimator combinations. *Eur J Nucl Med Mol I* 36;560-6; 2009.

83) Ichiro Nakae, Shinro Matsuo, Tetsuya Matsumoto, Kenichi Mitsunami, Minoru Horie. Clinical significance of diastolic function as an indicator of myocardial ischemia assessed by 16-frame gated myocardial perfusion SPECT. *Ann Nucl Med* 22: 677-683; 2008.

84) Kenichi Nakajima, M Yoshita, Shinro Matsuo, Junichi Taki, Seigo Kinuya. I-123 MIBG sympathetic imaging in Lewy-body diseases and related movement disorder. *Q J Nucl Med Mol IM* 52(4):378-87; 2008.

85) Kenichi Nakajima, Koichi Okuda, Masaya Kawano, Shinro Matsuo, P Slonka, G Germano, Seigo Kinuya. The importance of population specific normal database for quantification of myocardial ischemia: Comparison between Japanese 360 and 180-degree database and a US database. *J Nucl Cardiol* 16(3):422-30; 2009.

86) Yuichi Sato, Naoya Matsumoto, Shinro Matsuo, Shinobu Imai, Shunichi Yoda, Shigemasa Tani, Yuji Kasamaki, Satoshi Kunimoto, Motoichiro Takahashi, Satoshi Saito. Subendomyocardial perfusion abnormality and necrosis detected by magnetic imaging in a patient with isolated noncompaction of the ventricular myocardium associated with ventricular tachycardia. *Cardiovascular Revascularization Medicine* 10, 66-68; 2009.

87) Yuichi Sato, Naoya Matsumoto, Taeko Kunimasa, Shinichiro Iida, Shunichi Yoda, Shinro Matsuo, Shigemasa Tani, Satoshi Kunimoto, Satoshi Saito, Atsushi Hiromaya. Sigmoid-shaped ventricular septum causing mid-ventricular obstruction: report of 2 cases. *Int J Cardiol* 132: e97-101;2007.

- 88) Shinro Matsuo, Kenichi Nakajima, Shohei Yamashina, Kazuyuki Sakata, Mitsuru Momose, Junichi Hashimoto, Shinichiro Kumita, Masaya Kawano, Koichi Okuda. Characterization of Japanese standards for myocardial sympathetic and metabolic imaging in comparison with perfusion imaging. *Ann Nucl Med* 23:517-522; 2009.
- 89) Koichi Okuda, Kenichi Nakajima, Nobutoku Motomura, Masahiko Kubota, Noriaki Yamaki, Hisato Maeda, Shinro Matsuo, Seigo Kinuya. Attenuation correction of myocardial SPECT by scatter-photopeak window method in normal subjects. *Ann Nucl Med* 23:497-499; 2009.
- 90) Nasima Akhter, Shinro Matsuo. Prenatal screening for fetal congenital heart disease. *Bangladesh Journal of Ultrasonography* 15 (2):104-114; 2009.
- 91) Shinro Matsuo, Kenichi Nakajima, Nasima Akhter, Hiroshi Wakabayashi, Junichi Taki, Koichi Okuda, Seigo Kinuya. Clinical Usefulness of Novel Cardiac MDCT/SPECT Fusion Image. *Ann Nucl Med* 23:579-586; 2009.
- 92) Kenichi Nakajima, Shinro Matsuo, Masaya Kawano, Naoya Matsumoto, Jun Hashimoto, Keiichiro Yoshinaga, Junichi Taki, Koichi Okuda. The validity of multi-center common normal database for identifying myocardial ischemia: Japanese Society of Nuclear Medicine working group database. *Ann Nucl Med* 24(2):99-105; 2010.
- 93) Shinro Matsuo. Assessment of diastolic function using 16-frame ²⁰¹Tl gated myocardial perfusion SPECT. *Ann Nucl Med* 24:625-626; 2010.
- 94) Shinro Matsuo, Kenichi Nakajima, Yoshimitsu Yamasaki, Atsunori Kashiwagi, Tsunehiko Nishimura. Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese asymptomatic patients with type 2 diabetes: a study based on the J-ACCESS-2 database. *Circ J* 74:1916-21; 2010.
- 95) Kenichi Nakajima, Shinro Matsuo, Ninoru Hasegawa, Seigo Kinuya, Kazuhiko Takehara. Identification of myocardial damage in systemic sclerosis: a nuclear cardiology approach. *International Journal of Rheumatology* 2010. doi:pii: 496509. 10.1155/2010/496509.

- 96) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Clinical use of nuclear cardiology in the assessment of heart failure. *World J Cardiol* 2(10):344-356; 2010.
- 97) Koichi Okuda, Kenichi Nakajima, Tetsuo Hosoya, Takehiro Ishikawa, Kosuke Matsubara, **Shinro Matsuo**, Seigo Kinuya. Semi-automated algorithm for calculating heart-to-mediastinum ratio in cardiac Iodine-123 MIBG imaging. *J Nucl Cardiol* 18(1):82-9; 2011.
- 98) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Seigo Kinuya. The relationship between stress-induced myocardial ischemia and coronary artery atherosclerosis measured by hybrid SPECT/CT camera. *Ann Nucl Med* 25(9):650-6; 2011.
- 99) Kenichi Nakajima, **Shinro Matsuo**, Koichi Okuda, Hiroshi Wakabayashi, Kazumasa Tsukamoto, Tsunehiko Nishimura. Estimation of cardiac event risk by gated myocardial perfusion imaging and quantitative scoring methods based on a multi-center J-ACCESS database. *Circ J* 75(10):2417-23; 2011.
- 100) Koichi Okuda, Kenichi Nakajima, **Shinro Matsuo**, Hiroshi Wakabayashi, Junichi Taki, Seigo Kinuya. Cause of apical thinning on attenuation-corrected myocardial perfusion SPECT. *Nucl Med Commun* 32:1033-1039; 2011.
- 101) Kenichi Nakajima, **Shinro Matsuo**, Chio Okuyama, Tsuguru Hatta, Kazumasa Tsukamoto, Shigeyuki Nishimura, Akira Yamashina, Hideo Kusuoka, Tsunehiko Nishimura. Cardiac event risk in a Japanese population estimated by gated myocardial perfusion imaging, in conjunction with diabetes mellitus and chronic kidney disease. *Circ J* 76:168-175; 2012.
- 102) Koichi Okuda, Kenichi Nakajima, Tetsuya Hosoya, Takehiro Ishikawa, **Shinro Matsuo**, Masaya Kawano, Junichi Taki, Seigo Kinuya. Quantification of myocardial perfusion SPECT using freeware package (cardioBull). *Ann Nucl Med* 25:571-579; 2011.
- 103) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Mitsuhiro Yoshita, Junichi Taki, Masahito Yamada, Seigo Kinuya. Standardization of metaiodobenzylguanidine heart-to-mediastinum ratio using a calibration

phantom: Effects of correction on normal databases and a multi-center study. *Eur J Nucl Med Mol I* 39:113-119; 2012.

104) **Shinro Matsuo**. Phase analysis using gated myocardial perfusion single photon emission computed tomography imaging for evaluating cardiac dyssynchrony. *Circ J* 76:1832-1833; 2012.

105) Kenichi Nakajima, Y Takeishi, **Shinro Matsuo**, Y Yamasaki, Tsunehiko Nishimura. Metabolic syndrome is not a predictor for cardiovascular events in Japanese patients with diabetes mellitus asymptomatic for coronary artery disease: A retrospective analysis for the J-ACCESS-2 study. *J Nucl Cardiol* 20:234-41; 2013.

106) Tomoaki Nakata, Kenichi Nakajima, Shohei Yamashina, Takahisa Yamada, Mitsuru Momose, Shu Kasama, Toshiki Matsui, **Shinro Matsuo**, Mark I Travin, Arnold F. Jacobson. A pooled analysis of multicenter cohort studies of I-123-mIBG cardiac sympathetic innervation imaging for assessment of long-term prognosis in chronic heart failure. *JACC-Cardiovasc Imag* 6:772-78;2013.

107) Kenichi Nakajima, Koichi Okuda, Karin Nystrom, Jes Richter, David Minarik, Hiroshi Wakabayashi, **Shinro Matsuo**, Seigo Kinuya, Lars Edenbrandt. Improved quantification of small hearts for gated myocardial perfusion imaging. *Eur J Nucl Med Mol I* 6: 772-784; 2013.

108) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Evaluation of cardiac mitochondrial function by a nuclear imaging technique using technetium-99m-MIBI uptake kinetics. *Asia Oceania J Nucl Med Biology*. 1(1): 39-43; 2013

109) Hiroshi Wakabayashi, Junichi Taki, Anri Inaki, Ayane Nakamura, Daiki Kayano, Makoto Fukuoka, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Prognostic values of initial responses to low-dose I-131-MIBG therapy in patients with malignant pheochromocytoma and paraganglioma. *Ann Nucl Med* 27:839-46;2013.

110) Koichi Okuda, Kenichi Nakajima, Masato Yamada, Hiroshi Wakabayashi, Hajima Ichikawa, Hiroyuki Arai, **Shinro Matsuo**, Junichi Taki, Mitsumasa Hashimoto, Seigo Kinuya. Optimization of iterative reconstruction

parameters with attenuation correction, scatter correction and resolution recovery in myocardial perfusion SPECT/CT. *Ann Nucl Med.* 28:60-8; 2014.

111) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya, Masakazu Yamagishi. Diagnostic utility of ^{123}I -BMIPP imaging in patients with Takotsubo cardiomyopathy. *J Cardiol* 64, 49-56, 2014.

112) Lars Edenbrandt, Peter Höglund, Sophia Frantz, Philip Hasbak, Allan Johansen, Lena Johansson, Annett Kammeier, Oliver Lindner, Milan Lomsky, **Shinro Matsuo**, Kenichi Nakajima, Karin Nyström, Eva Olsson, Karl Sjöstrand, Sven-Eric Svensson, Hiroshi Wakabayashi, Elin Trägårdh E. Area of ischemia assessed by physicians and software packages from myocardial perfusion scintigrams. *BMC Medical Imaging.* 14(1):5; 2014. doi: 10.

1186/1471-2342 -14-5.

113) **Shinro Matsuo**. Regadenoson: an adenosine A_{2A} receptor agonist for pharmacological myocardial perfusion imaging. *J Cardiol Cases* 10; 46-47; 2014.

114) Kenichi Nakajima, Tomoaki Nakata, Takahisa Yamada, Shohei Yamashina, Mitsuru Momose, Shu Kasama, Toshiki Matsui, **Shinro Matsuo**, Mark Travin, Arnold F. Jacobson. A prediction model for 5-year cardiac mortality in patients with chronic heart failure using I-123 meta-iodobenzylguanidine imaging. *Eur J Nucl Med Mol I* 41(9):1673-82; 2014. PMID:24663289

115) Kenichi Nakajima, Koichi Okuda, Mana Yoshimura, **Shinro Matsuo**, Hiroshi Wakabayashi, Yasuhiro Imanishi, Seigo Kinuya. Multicenter cross-calibration of I-123 metaiodobenzylguanidine heart-to-mediastinum ratios to overcome camera-collimator variations. *J Nucl Cardiol* 21(5): 970-8; 2014.

116) Hiroto Yoneyama, Hiroyuki Tsushima, Masahisa Onoguchi, Takahiro Konishi, Kenichi Nakajima, **Shinro Matsuo**, Daiki Kayano, Hiroshi Wakabayashi, Anri Inaki, Seigo Kinuya. Optimization of attenuation and scatter corrections in sentinel lymph node scintigraphy using SPECT/CT systems. *Ann Nucl Med* 29: 248-55; 2015.

- 117) **Shinro Matsuo**, Kenichi Nakajima, Masahisa Onoguchi, Hiroshi Wakabayashi, Koichi Okuda, Seigo Kinuya. Nuclear myocardial perfusion imaging using thallium-201 with novel multifocal collimator SPECT/CT: IQ-SPECT versus conventional protocols in normal subjects. *Ann Nucl Med* 29: 452-9, 2015.
- 118) Kenichi Nakajima, **Shinro Matsuo**, Hiroshi Wakabayashi, Kunihiro Yokoyama, Hisashi Bunko, Koichi Okuda, Seigo Kinuya, Karin Nyström, Lars Edenbrandt. Diagnostic Performance of Artificial Neural Network for Detecting Ischemia in Myocardial Perfusion Imaging. *Circ J.* 79(7):1549-56, 2015.
- 119) **Shinro Matsuo**, Kenichi Nakajima. Assessment of cardiac sympathetic nerve function using ¹²³I-meta-iodobenzylguanidine scintigraphy: technical aspects and standardization. *Ann Nucl Cardiol* 1(1): 27-34, 2015.
- 120) Koichi Okuda, Kenichi Nakajima, Shuichi Sugino, Yumiko Kirihara, **Shinro Matsuo**, Junichi Taki, Mitsumasa Hashimoto, Seigo Kinuya. Development and validation of a direct-comparison method for cardiac ¹²³I-metaiodobenzylguanidine washout rates derived from late 3-hour and 4-hour imaging. *Eur J Nucl Med Mol Imaging.* 43(2):319-25; 2016.
- 121) **Shinro Matsuo**, Kenichi Nakajima, Tomoaki Nakata. Prognostic value of cardiac sympathetic nerve imaging using long-term follow-up data - ischemic vs. non-ischemic heart failure etiology. *Circ J.* 80: 435-441; 2016
- 122) Kenichi Nakajima, Naoya Matsumoto, Tokuo Kasai, **Shinro Matsuo**, Keisuke Kiso, Koichi Okuda. Normal values and standardization of parameters in nuclear cardiology: Japanese Society of Nuclear Medicine working group database. *Ann Nucl Med* 30(3):188-99; 2016.
- 123) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Keisuke Kiso, Seigo Kinuya, Ernest V. Garcia. Comparison of phase dyssynchrony analysis using gated myocardial perfusion imaging with four software programs: Based on the Japanese Society of Nuclear Medicine working group normal database. *J Nucl Cardiol* 24(2); 611-621; 2017
- 124) Kenichi Nakajima, Tomoaki Nakata, **Shinro Matsuo**, AF Jacobson. Creation of mortality risk charts using ¹²³I meta-iodobenzylguanidine

heart-to-mediastinum ratio in patients with heart failure: 2- and 5-year risk models. *Eur Heart J Cardiovasc Imaging*. 17: 1137-45; 2016.

125) Hiroto Yoneyama, Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Masahisa Onoguchi, Seigo Kinuya, Lars Edenbrandt. Reducing the small-heart effect in pediatric gated myocardial perfusion single-photon emission computed tomography. *J Nucl Cardiol* 2016 online.

126) **Shinro Matsuo**. Cardiac hybrid or fusion imaging of CT and SPECT. *Int J Radiol Med Imag* 2016, 2: 112 <http://dx.doi.org/10.15344/ijrmi/2016/112>

127) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Denis Agostini. The time has come to standardize (123)I-MIBG heart-to-mediastinum ratios including planar and SPECT methods. *Eur J Nucl Med Mol Imaging*. 43: 386-8; 2016.

128) **Shinro Matsuo**, Keiichiro Yoshinaga. 18F-FDG-PET Viability assessment for the improvements of prognosis of the patients with left ventricular dysfunction - Is this ready for clinical practice? - *Ann Nucl Cardiol* 2(1):53-55; 2016.

129) Hidehiro Iida, Hirotaka Maruno, Kazuhiro Koshino, Satoshi Iguchi, Makoto Yamazaki, Naoya Kondo, Saeka Shimochi, Takashi Temma, Brian F. Hutton, **Shinro Matsuo**. Quantitative assessment of regional myocardial blood flow with clinical SPECT. *Ann Nucl Cardiol* 2(1):111-121; 2016.

130) Masahisa Onoguchi, Takahiro Konishi, Takayuki Shibutani, **Shinro Matsuo**, Kenichi Nakajima. Image reconstruction. *Ann Nucl Cardiol* 2(1):68-72; 2016.

131) **Shinro Matsuo**, Takafumi Mochizuki, Satoru Takeda, Takayuki Shibutani, Masahisa Onoguchi, Kenichi Nakajima, Koichi Okuda, Hirotoshi Takeuchi, Kazuya Hayakawa, Seigo Kinuya. Cardiac time-of-flight PET for evaluating myocardial perfusion with 13N-ammonia: Phantom studies for estimation of defect and heterogeneity. *Ann Nucl Cardiol* 2(1): 73-78; 2016.

132) Masayuki Takamura, Hisayoshi Murai, Yoshitaka Okabe, Yuji Okuyama, Takuto Hamaoka, Yusuke Mukai, Hideki Tokuhisa, Oto Inoue, Shin-ichiro Takashima, Takashi Kato, **Shinro Matsuo**, Soichiro Usui, Hiroshi Furusho, Shuichi Kaneko. Significant correlation between renal

¹²³I-metaiodobenzylguanidine scintigraphy and muscle sympathetic nerve activity in patients with primary hypertension. J Nucl Cardiol. 2017 24(2):363-371.

133) Koichi Okuda, Kenichi Nakajima, Shinro Matsuo, Chisato Kondo, Masayoshi Sarai, Yoriko Horiguchi, Takahiro Konishi, Masahisa Onoguchi, Takeshi Shimizu, Seigo Kinuya. Creation and characterization of normal myocardial perfusion imaging databases using the IQ-SPECT system. J Nucl Cardiol 2017 (in press).

134) Takayuki Shinibutani, Masahisa Onoguchi, Hiroto Yoneyama, Takahiro Konishi, Shinro Matsuo, Kenichi Nakajima, Seigo Kinuya. Characteristics of single- and dual-photopeak energy window acquisitions with thallium-201 IQ-SPECT/CT system. Ann Nucl Med 31(7): 529-525; 2017.

135) Kenichi Nakajima, Koichi Okuda, Shinro Matsuo, P Slomka. Making the invisible visible: Phase dyssynchrony has potential as a new prognostic marker. J Nucl Cardiol 26(1): 298-302; 2019. doi: 10.1007/s12350-017-0929-5.

136) Hiroto Yoneyama, Takayuki Shibutani, Takahiro Konishi, Asuka Mizutani, Ryosuke Hashimoto, Masahisa Onoguchi, Koichi Okuda, Shinro Matsuo, Kenixhi Nakajima, Seigo Kinuya. Validation of left ventricular ejection fraction with the IQ-SPECT system in small-heart patients. J Nucl Med Technol 2017; 45-7.

137) Kenichi Nakajima, Koichi Okuda, Shinro Matsuo, Keisuke Kiso, Seigo Kinuya, Ernest V. Garcia. Comparison of phase dyssynchrony analysis using gated myocardial perfusion imaging with four software programs: Based on the Japanese Society of Nuclear Medicine working group normal database. J Nucl Cardiol 24:611-621; 2017.

138) Kenichi Nakajima, Takashi Kudo, Tomoaki Nakata, Keisuke Kiso, Tokuo Kasai, Yasuyo Taniguchi, Shinro Matsuo, Mitsuru Momose, Masayasu Nakagawa, Masayoshi Sarai, Satoshi Hida, Hirokazu Tanaka, Kunihiro Yokoyama, Koichi Okuda, Lars Edenbrandt. Diagnostic accuracy of artificial neural network compared with statistical quantitation of myocardial perfusion images: A

Japanese multicenter study. Eur J Nucl Med Mol Imaging 44(13): 2280–2289; 2017.

139) Kenichi Nakajima, Koichi Okuda, Mitsuru Momose, **Shinro Matsuo**, Chisato Kondo, Masayoshi Sarai, Takayuki Shibutani, Masahisa Onoguchi, Takeshi Shimizu, A. Hans Vija. IQ-SPECT technology and its clinical applications using multicenter normal databases. Ann Nucl Med. 2017 ;31:649–659.

140) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, P Slomka. Making the invisible visible: Phase dyssynchrony has potential as a new prognostic marker. J Nucl Cardiol. 26(1): 298–302; 2019. doi: 10.1007/s12350-017-0929-5.

141) Takahiro Konishi, Kenichi Nakajima, Koichi Okuda, Hiroto Yoneyama, **Shinro Matsuo**, Takayuki Shibutani, Masahisa Onoguchi, Seigo Kinuya. IQ-SPECT for thallium-201 myocardial perfusion imaging: effect of normal databases on quantification. Ann Nucl Med. 2017;31(6):454–461.

142) Koichi Okuda, Kenichi Nakajima, **Shinro Matsuo**, Soichiro Kashiwaya, Hiroto Yoneyama, Takayuki Shibutani, Masahisa Onoguchi, M Hashimoto, Seigo Kinuya. Comparison of diagnostic performance of four software packages for phase dyssynchrony analysis in gated myocardial perfusion SPECT. EJNMMI Res. 2017;7(1):27.

143) Isao Aburadani, Kazuo Usuda, Hisashi Sumiya, Satoru Sakagami, Hiroaki Kiyokawa, **Shinro Matsuo**, Masayuki Takamura, Hisayoshi Murai, Shinichiro Takashima, Teppei Kitano, Koichi Okuda, Kenichi Nakajima, Ability of the prognostic model of J-ACCESS study to predict cardiac events in a clinical setting: the APPROACH study. J Cardiol 72(1): 81–86; 2018.

144) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Hiroshi wakabayashi, Seigo Kinuya. Is ¹²³I-metaiodobenzylguanidine heart-to-mediastinum ratio dependent on age? From Japanese Society of Nuclear Medicine normal database. Ann Nucl Med 32(3): 175–181; 2018

145) **Shinro Matsuo**, Kenichi Nakajima, Tasuchika Takeishi, Tsunehiko Nishimura. Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese patients with chronic kidney disease:

a study based on the J-ACCESS-3 database. *European Journal of Nuclear Medicine Molecular Imaging* 45:1101-1107; 2018.

146) Kenichi Nakajima, Tomoaki Nakata, Takahiro Doi, Toshiaki Kadokami, **Shinro Matsuo**, Tetsuo Konno, Takahisa Yamada, Arnold F. Jacobson. Validation of 2-year ¹²³I-meta-iodobenzylguanidine-based cardiac mortality risk model in chronic heart failure. *Eur Heart J Cardiovasc Imaging* 19(7): 749-756; 2018.

147) Kenichi Nakajima, Koichi Okuda, Satoru Watanabe, **Shinro Matsuo**, Seigo Kinuya, Karin Toth, Lars Edenbrandt. Artificial neural network retrained to detect myocardial ischemia using a Japanese multicenter database. *Ann Nucl Med* 32(5): 303-310; 2018

148) **Shinro Matsuo**, Atsushi Mizokami, Hiroshi Wakabayashi, Kazuhito Nakajima, Takeshi Kudo, Seigo Kinuya. The imaging and dosimetry for Targeted Ra-223 Treatment for Metastatic Castration-Resistant Prostate Cancer. *Austin Journal of Nuclear Medicine and Radiotherapy* 2018; 5(1):1024.

149) **Shinro Matsuo**. Nuclear Cardiology Approach in Takotsubo Syndrome *Annals of Nuclear Cardiology* 4(1): 105-109; 2018.

150) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, Takahiro Konishi, Shinro Matsuo, Kenichi Nakajima. Characteristics of iodine-123 IQ-SPECT/CT imaging compared with conventional SPECT/CT. *Annals of Nuclear Medicine* 33(2): 103-111; 2018.

151) Takayuki Shibutani, Kenichi Nakajima, Hiroshi Wakabayashi, Hiroshi Mori, **Shinro Matsuo**, Hiroto Yoneyama, Takahiro Konishi, Koichi Okuda, Masahisa Onoguchi, Seigo Kinuya. Accuracy of an artificial neural network for detecting a regional abnormality in myocardial perfusion SPECT. *Annals of Nuclear Medicine* 33(2): 86-92; 2018.

152) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, Takahiro Konishi, Shinro Matsuo, Kenichi Nakajima. Impact of color scale and gamma-setting of a medical monitor on the diagnosis of brain SPECT *Medical Physics* 2018 (in press)

153) Woon-Man Kung, Ying-Jui Ho, Hiroshi Yoshizawa, Shinro Matsuo,
Cheng-Yu Weil. Behavioural and Cognitive Change in Lewy Body Dementias.
Behavioural Neurology Volume 2018, Article ID 2404191, 2 pages
<https://doi.org/10.1155/2018/2404191>

Presentations in International Conference

- 1) Shintaro Yoshida, Shinro Matsuo, Makoto Ito, Naoyoshi Tsutamoto, Yasuyuki Nakamura, Masahiko Kinoshita Enhanced washout rate of metaiodobenzylguanidine is independent predictor for ventricular tachycardia/fibrillation in congestive heart failure. American Heart Association 13-16 Nov. 1995 Anaheim, LA USA (Circulation 92(8):I-335, 1995)
- 2) Makoto Ito, Shintaro Yoshida, Shinro Matsuo, Masahiko Kinoshita. Increased washout rate of metaiodobenzylguanidine reflects regional ventricular repolarization abnormality in congenital long QT syndrome. American Heart Association 13-16 Nov. 1995 Anaheim, LA USA (Circulation 92(8):I-681, 1995)
- 3) Takahiro Yabe, Kenichi Mitsunami, Toshiro Inubushi, Shigehiro Morikawa, Shintaro Yoshida, Shinro Matsuo. Evaluation of myocardial viability by P-31 magnetic resonance spectroscopy (MRS) during dynamic handgrip exercise. American Heart Association 13-16 Nov. 1996 New Orleans, USA (Circulation 94(8):I-541, 1996)
- 4) Tuhin Haque, Takami Furukawa, Shintaro Yoshida, Keiko Maeda, Shinro Matsuo, Masayuki Takahashi, Masahiko Kinoshita. Echocardiography and fatty acid single photon emission tomography in predicting postrevascularization reversibility of regional left ventricular dysfunction 46th Annual Scientific Session of American College of Cardiology March 16-19, 1997 Anaheim, USA (J Am Coll Cardiol 29(2) suppl. A:413A, 1997)
- 5) Shinro Matsuo, Yasuyuki Nakamura, Tetsuhiro Yamada, Takeshi Kawashima, Masahiko Kinoshita. Warfarin reduced silent cerebral infarction in patients with atrial fibrillation. The 4th International Conference on Preventive Cardiology, Montreal, Canada. on June 29-July 3, 1997 (Can J Cardiol 13 Suppl B, 1997)
- 6) Shinro Matsuo, Yasuyuki Nakamura, Takayoshi Tsutamoto, Keiko Maeda, Masahiko Kinoshita. Impairments of myocardial sympathetic activity may reflect the progression of myocardial damage in hypertrophic cardiomyopathy. 50th Annual Scientific Session of American College of

Cardiology, March 18–21, 2001, Orlando, USA (J Am Coll Cardiol 37(2) suppl. A:420A, 2001)

7) **Shinro Matsuo**, Yasuyuki Nakamura, Masayuki Takahashi, Yasuyoshi Ouchi, Kazuaki Hosoda, Masato Nozawa, Masahiko Kinoshita. Increased production of nitric oxide with red wine and ethanol in healthy subjects—detection by means of diaminofluoresceins. The 5th International Conference on Preventive Cardiology, Osaka, Japan. on June 29–July 3, 2001 (abstract W-061, p41)

8) **Shinro Matsuo**, Ichiro Nakae, Tetsuya Matsumoto, Masayuki Takahashi, Yasuyuki Nakamura, Minoru Horie. Identification of cardiac sympathetic dysfunction in athlete's heart by means of I-123 MIBG scintigraphy. 6th International Conference of Nuclear Cardiology, April 27–29, 2003, Firenze, Italy (J Nucl Cardiol 10(1)S44(abst.), 2003)

9) Ichiro Nakae, **Shinro Matsuo**, Kenichi Mitsunami, Yasuyuki Nakamura. Identification of creatine concentration in dysfunctional heart by proton magnetic resonance spectroscopy in comparison with thallium scintigraphy. 6th International Conference of Nuclear Cardiology, April 27–29, 2003, Firenze, Italy (J Nucl Cardiol 10(1)S6(abst.), 2003)

10) **Shinro Matsuo**, Yasuyuki Nakamura, Tetsuya Matsumoto, Ichiro Nakae, Terue Koh, Minoru Horie. Noninvasive evaluation of coronary artery plaque with ECG-gated multislice computed tomography. 53rd Annual Scientific Session of American College of Cardiology March 7–10, 2004. New Orleans, USA (J Am Coll Cardiol 43(5):363–4(abst.), 2004)

11) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Daisuke Masuda, Hiroyuki Takashima, Terue Koh, Yasuhiro Tarutani, Minoru Horie. Impaired sympathetic nerve function may play an important role in enhancing coronary vasoconstriction in patients with hypertrophic cardiomyopathy. American Heart Association Scientific Session 2004, New Orleans, Louisiana, USA, Nov 7–10, 2004. (Circulation 110(17) III-602(Suppl.);2004)

12) **Shinro Matsuo**, Tetsuya Matsumoto, Ichiro Nakae, Daisuke Masuda, Minoru Horie. Impact of endothelial dysfunction on left ventricular remodeling after primary coronary angioplasty for acute myocardial infarction:

quantitative ECG-gated SPECT. 7th International Conference of Nuclear Cardiology, May 8-11, 2005, Lisbon, Portugal. (J Nucl Cardiol 12(2)S28(abst.), 2005.)

13) Tetsuya Matsumoto, Yasuhiro Tarutani, Tetsunobu Yamane, Hiroyuki Takashima, **Shinro Matsuo**, Minoru Horie . Regulation of blood pressure improves both coronary endothelial function and aortic stiffness in hypertensive patients. The 21st Scientific Meeting of the International Society of Hypertension , Fukuoka, Japan, Oct 15-19, 2006. (J Hypertens 24 Suppl. 6, 119, 2006)

14) Tetsuya Matsumoto, Masatoshi Fujita, Yasuhiro Tarutani, Tetsunobu Yamane, Hiroyuki Takashima, **Shinro Matsuo**, Ichiro Nakae, Minoru Horie. Whole-body, periodic acceleration enhances endothelium-dependent flow-mediated vasodilation of the brachial artery. The 21st Scientific Meeting of the International Society of Hypertension, Fukuoka, Japan, Oct 15-19, 2006. (J Hypertens 24 Suppl. 6, 230, 2006)

15) **Shinro Matsuo**, Ichiro Nakae, Daisuke Masuda, Takayoshi Tsutamoto, Noriaki Okamoto, Minoru Horie. A novel clinical indicator using Tc-99m sestamibi for evaluating cardiac mitochondrial function in patients with cardiomyopathies. 56rd Annual Scientific Session of American College of Cardiology March 26-28, 2007. New Orleans, USA(J Am Coll Cardiol 49(9) :61A-62A(Suppl.), 2007)

16) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya, Minoru Horie, Ichiro Nakae, Tsunehiko Nishimura. Prognostic value of normal stress myocardial perfusion imaging in Japanese population: A study based on the J-ACCESS study. 2008 Society of nuclear medicine (SNM) annual meeting New Orleans, LA, USA, Jun 14-18, 2008 (J Nucl Med 49(1)129, 2008).

17) Kenichi Nakajima, Koichi Okuda, Masaya Kawano, P Slomka, Nasima Akhter, **Shinro Matsuo**, Junichi Taki, Seigo Kinuya, G. Germano. Importance of population-specific normal database for quantification of myocardial ischemia: Comparison between Japanese 360° /180° and US databases. 2008 Society of nuclear medicine (SNM) annual meeting New Orleans, LA, USA, Jun 14-18, 2008 (J Nucl Med 49 (1)193, 2008).

18) Noboru Fujino, Hidekazu Ino, K Hayashi, K Uchiyama, K Sakata, E Masuta, Y Sakamoto, T Tsubokawa, A Funada, A Muramoto, **Shinro Matsuo**, Kenichi Nakajima, Masakazu Yamagishi. Impact of 123I-BMIPP on prognosis of nonobstructive hypertrophic cardiomyopathy: from 10 years follow-up data. American society of nuclear cardiology annual meeting 2008, Sep 10-14, 2008, Boston, USA. (J Nucl Cardiol 15(4), 14, 2008)

19) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Masaya Kawano, T Ishikawa, T Hosoya, Junichi Taki, Seigo Kinuya. Standardization of the heart-to-mediastinum ratio of iodine-123-labeled-meta-iodobenzylguanidine uptake using dual energy window method. 9th International Conference of Nuclear Cardiology (ICNC), May 10-13, 2009, Barcelona, Spain

20) Kenichi Nakajima, **Shinro Matsuo**, Koichi Okuda, Shinichiro Kumita, Yoshio Ishida, Minoru Momose, Junichi Taki, Shohei Yamashina. Characteristics of normal myocardial SPECT database created by Japanese Society of Nuclear Medicine (JSNM) working group. 9th International Conference of Nuclear Cardiology (ICNC), May 10-13, 2009, Barcelona, Spain

21) **Shinro Matsuo**, Kenichi Nakajima, Hiroshi Wakabayashi, Nasima Akhter, Koichi Okuda, Junichi Taki, Seigo Kinuya. Clinical Usefulness of Novel Fusion Imaging System by using 64-Section MDCT and cardiac SPECT. 2009 Society of nuclear medicine (SNM) annual meeting Toronto, Canada, Jun 13-17, 2009

22) Junichi Taki, Hiroshi Wakabayashi, Anri Inaki, Kyoko Imanaka-Yoshida, Kazuma Ogawa, Kazuhiro Shiba, Michiaki Hiroe, Kenichi Nakajima, **Shinro Matsuo**, Seigo Kinuya. Temporal change of tenascin-C expression in a rat model of moderate and severe ischemia: Assessment by I-125-antitenascin-C antibody imaging. 2010 Society of nuclear medicine (SNM) annual meeting Salt Lake City, USA, Jun 5-9, 2010 (J Nucl Med 2010; 50(suppl. 2), 1691.)

23) **Shinro Matsuo**, Kenichi Nakajima, Yoshimiysu Yamasaki, Atsunori Kashiwagi, Seigo Kinuya, Tsunehiko Nishimura. Prognostic value of normal stress myocardial perfusion imaging and ventricular function in Japanese

asymptomatic patients with type 2 diabetes using myocardial perfusion imaging: A study based on the J-ACCESS 2 database. 2010 Society of nuclear medicine annual meeting Salt Lake City, USA, Jun 5-9, 2010 (J Nucl Med 2010; 50(suppl. 2), 1693.)

24) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Junichi Taki, Seigo Kinuya. Characteristics of normal standards for myocardial sympathetic and metabolic imaging in comparison with perfusion imaging using database of the Japanese Society of Nuclear Medicine. 2010 Society of nuclear medicine annual meeting Salt Lake City, USA, Jun 5-9, 2010 (J Nucl Med 2010; 50(suppl. 2), 1705.)

25) **Shinro Matsuo**, Kenichi Nakajima. Evaluation of altered myocardial metabolism may be useful in the management of patients with heart failure. 10th International Conference of Nuclear Cardiology, May 16, 2011 Amsterdam, Nederland (Eur Heart J 2011 13 Suppl.A A30(141)).

26) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Seigo Kinuya. Relationship between stress-induced ischemia and coronary artery atherosclerosis measured by SPECT/CT imaging. 10th International Conference of Nuclear Cardiology, May 17, 2011 Amsterdam, Nederland (Eur Heart J 2011 Suppl.A A84(360)).

27) Kenichi Nakajima, **Shinro Matsuo**, Koichi Okuda, Hiroshi Wakabayashi, K Tsukamoto, Seigo Kinuya. Estimation of cardiac event risk by integration of automatic perfusion defect scoring and clinical background. 10th International Conference of Nuclear Cardiology, May 16, 2011 Amsterdam, Nederland (Eur Heart J 2011 Suppl.A A87(370)).

28) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Y Kirihara, T Ishikawa, Junichi Taki, M Yoshida, Seigo Kinuya. Standardization of cardiac MIBG uptake for multi-center study to calculating heart-to-mediastinum ratio using calibration phantoms. 10th International Conference of Nuclear Cardiology, May 16, 2011 Amsterdam, Nederland (Eur Heart J 2011 Suppl.A A52(265)).

29) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Myocardial metabolism may offer further risk stratification in the management of patients with

heart failure. 2011 Society of nuclear medicine (SNM) annual meeting, June 4-8, San Antonio, Texas, USA (J Nucl Med 2011 Suppl.p145) (No166)

30) Koichi Okuda, Kenichi Nakajima, **Shinro Matsuo**, Hiroshi Wakabayashi, Junichi Taki, Seigo Kinuya. Cause of apical thinning on attenuation corrected myocardial perfusion SPECT. SNM 2011 Society of nuclear medicine (SNM) annual meeting, June 4-8, San Antonio, Texas, USA

31) Koichi Okuda, Kenichi Nakajima, T Hosoya, T Ishikawa, **Shinro Matsuo**, Junichi Taki, Seigo Kinuya. Improved reproducibility of heart-to-mediastinum ratio by semi-automatic calculation algorithm in cardiac I-123 MIBG imaging. 2011 Society of nuclear medicine (SNM) annual meeting, June 4-8, San Antonio, Texas, USA

32) Hiroshi Furusho, **Shinro Matsuo**, Shinichiro Takashima, Soichiro Usui, Shuichi Kanako, Masayuki Takamura. Acute hemodynamic effect of cardiac resynchronization therapy derived from phase analysis on gated myocardial perfusion SPECT. 4th Asia pacific heart rhythm society scientific session (APHRS2011). Sep. 20, 2011 (Sep20-22), Fukuoka, Japan.

33) Tomoaki Nakata, Shohei Yamashina, Kenichi Nakajima, Shu Kasama, Takahisa Yamada, Mitsuru Momose, Toshiki Matsui, **Shinro Matsuo**, Mark Travin, Arnold Jacobson. A Meta-analysis Study for Establishing The Prognostic Efficacy of Assessment of Cardiac Sympathetic Innervation by Iodine-123-metaiodobenzylguanidine Imaging in Chronic Heart Failure. 61st Annual scientific meeting of American College of Cardiology March 24-27, 2012 Chicago, USA (J Am Coll Cardiol 2012; 59 Suppl A: A287-A288).

34) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Masakazu Yanagishi, Seigo Kinuya. Assessment of myocardial perfusion, metabolism and sympathetic function benefits the diagnosis and follow-up of patients with Takotsubo cardiomyopathy. 2012 Society of nuclear medicine (SNM) annual meeting, June 12, Miami beach, Florida, USA

35) Kenichi Nakajima, Tomoaki Nakata, **Shinro Matsuo**, Shohei Yamashina, Shu Kasama, Takahisa Yamada, Toshiki Matsui, Arnold Jacobson. I-123 MIBG meta analysis for predicting cardiac death in heart failure; A multi-center investigation in Japan. 2012 Society of nuclear medicine (SNM) annual

meeting, June 11, Miami beach, Florida, USA

36) Koichi Okuda, Kenichi Nakajima, Masato Yamada, Hiroshi Wakabayashi, Hajime Ichikawa, Hiroyuki Arai, **Shinro Matsuo**, Junichi Taki, Seigo Kinuya. Optimization of iterative reconstruction with attenuation, scatter and resolution corrections in myocardial perfusion SPECT/CT. 2012 Society of nuclear medicine (SNM) annual meeting, June 12, Miami beach, Florida, USA

37) **Shinro Matsuo**, Kenichi Nakajima, Hiroshi Wakabayashi, Koichi Okuda, Seigo Kinuya. Coronary Artery Atherosclerosis Analysis by SPECT/CT imaging may offer further risk stratification in the management of patients with coronary artery disease. European Association of Nuclear Medicine (EANM) 2012 Annual meeting, Oct 10, Milan, Italy.

38) Hiroshi Wakabayashi, Junichi Taki, Anri Inaki, Ayane Nakamura, Daiki Kayano, Makoto Fukuoka, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. The prognostic value of hormonal responses after initial low dose I-131 MIBG therapy in patients with malignant pheochromocytoma and paraganglioma. European Association of Nuclear Medicine (EANM) 2012 Annual meeting, Oct 10. Milan, Italy.

39) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Hiroshi Wakabayashi, Junichi Taki, Minoru Tobisaka, Seigo Kinuya. Evaluation of myocardial perfusion, metabolism and sympathetic may offer further risk stratification in the management of patients with Takotsubo cardiomyopathy. 11th International Conference of Nuclear Cardiology, May 6, 2013. Berlin, Germany (J Nucl Cardiol 2013 Suppl. S51)

40) Kenichi Nakajima, Tomoaki Nakata, Shohei Yamashina, **Shinro Matsuo**, Shu Kasama, T. Yamada; Mitsuru Momose, Toshiki Matsui, Mark Travin, A. Jacobson. Prediction of five-year cardiac death by I-123 meta-iodobenzylguanidine imaging based on a Japanese multi-center prognostic database 11th International Conference of Nuclear Cardiology (ICNC), May 6, 2013 Berlin, Germany (J Nucl Cardiol 2013 Suppl. S47)

41) Kenichi Nakajima, Koichi Okuda, K Nystrom, J Richter, **Shinro Matsuo**, Seigo Kinuya. Application of a new left ventricular edge-detection algorithm to small heart: Effects of correction in Japanese patients. 11th

International Conference of Nuclear Cardiology (ICNC), May 6, 2013 Berlin, Germany

42) Kenichi Nakajima, Tomoaki Nakata, T. Yamada, **Shinro Matsuo**, Shohei Yamashina, Shu Kasama, Mitsuru Momose, Toshiki Matsuo, Mark T Travin, AF Jacobson. Prediction models for cardiac death in patients with heart failure: Net reclassification improvement with addition of MIBG. 2013 Society of nuclear medicine (SNM) annual meeting, June 10, Vancouver, USA (J Nucl Med 2013;54, Suppl2, 72P.)

43) Naomi Kanamori, Hiroshi Furusho, Takashi Kusayama, Akio Chikata, Shuichi Kaneko, **Shinro Matsuo**, Masakazu Yamagishi, Masayuki Takamura. Long-term clinical impact of acute effects of cardiac resynchronization therapy assessed with gated myocardial perfusion SPECT. Europace EHRA 2013. June 25 2013, Athens, Greece (一般演題) (Europace, 2013, 15, Suppl. 2, ii202.)

44) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Prognostic value of cardiac sympathetic nerve innervation in patients with Takotsubo cardiomyopathy. American Association of Nuclear Cardiology (ASNC 2013), Sept 26, 2013. Chicago, USA

45) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Clinical utility of I-123 BMIPP imaging in patients with Takotsubo cardiomyopathy. European Association of Nuclear Medicine (EANM) 2013. Nov 19-23, 2013 Lyon, France.

46) Kenichi Nakajima, Koichi Okuda, Y Kihara, T Hosoya, **Shinro Matsuo**, Seigo Kinuya. Standardization of I-123 meta-iodo benzyl guanidine heart-to-mediastinum ratio in 33 hospitals and 101 camera-collimator combinations in Japan. European Association of Nuclear Medicine (EANM) 2013. Nov 19-23, 2013 Lyon, France.

47) **Shinro Matsuo**, Kenichi Nakajima, Tomoaki Nakata, Shu Kasama, Takahisa Yamada, Mitsuru Momose, Shohei Yamashina. Prognostic values of cardiac sympathetic imaging in heart failure patients: A difference between ischemic and non-ischemic etiologies. 2014 Society of nuclear medicine (SNM) annual meeting, June 10, St. Luis, USA (J Nucl Med. 2014; 55

(Supplement 1):1724)

48) Lisa Funayama, Masashi Onoguchi, Kenichi Nakajima, **Shinro Matsuo**, Minoru Tobisaka, Takahiro Konishi. Optimal processing parameters for thallium-201 myocardial SPECT using multiple confocal collimators: Their effects on attenuation and scatter corrections. 2014 Society of nuclear medicine (SNM) annual meeting, June 10, St. Luis, USA (J Nucl Med. 2014; 55 (Supplement 1):2605)

49) Hiroshi Wakabayashi, Kenichi Nakajima, **Shinro Matsuo**, Koichi Okuda, Takahiro Konishi, Junichi Taki, Seigo Kinuya. The Relationship between ¹²³I-MIBG quantitative SPECT scoring and heart-to-mediastinum ratio. 2014 Society of nuclear medicine (SNM) annual meeting, June 10, St. Luis, USA (J Nucl Med. 2014; 55 (Supplement 1):1711)

50) **Shinro Matsuo**, Kenichi Nakajima, Masakazu Yamagishi, Hiroshi Wakabayashi, Koichi Okuda, Seigo Kinuya. Apical metabolic abnormalities is one of the typical features of takotsubo cardiomyopathy. World Federation of Nuclear Medicine and Biology (WFNMB) 2014. 27-30 Aug. 2014, Cancun, Mexico.

51) Takahiro Konishi, Masahisa Onoguchi, Kenichi Nakajima, **Shinro Matsuo**, Hiroshi Wakabayashi, Risa Funayama, Koichi Okuda, Yukihiro Matsuura. Clinical study to evaluate the performance and impact of attenuation and scatter correction of ²⁰¹TlCl myocardial perfusion SPECT using a SMARTZOOM collimator. World Federation of Nuclear Medicine and Biology (WFNMB) 2014. 27-30 Aug. 2014, Aug Cancun, Mexico.

52) Koichi Okuda, Kenichi Kanajima, Yumiko Kurihara, Shuichi Sugino, **Shinro Matsuo**. Proposal for standardization of cardiac ¹²³I-metaiodobenzylguanidine washout rate. World Federation of Nuclear Medicine and Biology (WFNMB) 2014. 27-30 Aug. 2014, Cancun, Mexico.

53) Hiroshi Wakabayashi, Anri Inaki, Norihito Akatani, Daiki Kayano, **Shinro Matsuo**, Toshinari Takamura, Seigo Kinuya. Repeated low dose I-¹³¹ MIBG therapy for malignant pheochromocytoma patient with catecholamine cardiomyopathy. International Symposium on Pheochromocytoma and Paraganglioma 2014. 17-20, Sept. 2014. Kyoto, Japan.

- 54) **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya, Masakazu Yamagishi. BMIPP metabolic imaging can distinguish Takotsubo cardiomyopathy from acute myocardial infarction. 12th International Conference of Nuclear Cardiology and Cardiac CT (ICNC), May 3-5, 2015, Madrid, Spain
- 55) Kenichi Nakajima, Tomoaki Nakata, **Shinro Matsuo**, A Jacobson. I-123 metaiodobenzylguanidine imaging is effective for both long-term and short-term prognostic evaluation. 12th International Conference of Nuclear Cardiology and Cardiac CT (ICNC), May 3-5, 2015, Madrid, Spain
- 56) Koichi Okuda, Kenichi Nakajima, Y Kihara, S Sugino, **Shinro Matsuo**, Junichi Taki, M Hashimoto, Seigo Kinuya. Standardization of cardiac I-123 metiodobenzylguanidine washout rates derived from late 3 and 4 hours imaging. 12th International Conference of Nuclear Cardiology and Cardiac CT (ICNC), May 3-5, 2015, Madrid, Spain
- 57) Kenichi Nakajima, Koichi Okuda, Mana Yoshimura, **Shinro Matsuo**, Hiroshi Wakabayashi, Y Imanishi, Seigo Kinuya. Proposal to unify MIBG heart-to-mediastinum ratio using a cross-calibration phantom method: Multicentre experiments and a clinical validation study. European Association of Nuclear Medicine (EANM) 2014. Oct 18-22, 2014 Gothenburg Sweden.
- 58) Hiroto Yoneyama, Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Junichi Taki, Hiroyuki Tsushima, Masahisa Onoguchi, Takahiro Konishi¹, Seigo Kinuya, Lars Edenbrandt. Redaction of small heart effect in pediatric gated myocardial perfusion SPECT. 2015 Society of nuclear medicine (SNM) annual meeting, June 6-10, 2015, Baltimore, USA (一般演題)
- 59) **Shinro Matsuo**, Kenichi Nakajima, Masahisa Onoguchi, Koichi Okuda, Takahiro Konishi, Hiroto Yoneyama, Hiroshi Wakabayashi, Seigo Kinuya. Feasibility of a novel IQ- SPECT/CT protocol using thallium-201 acquired in a short time: comparison with conventional protocols. 2015 Society of nuclear medicine (SNM) annual meeting, June 6-10, 2015, Baltimore, USA (一般演題)
- 60) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Chisato Kondo, M Sarai, Y Shimotsu, Masahisa Onoguchi, Seigo Kinuya. Multicenter normal Tl-201

databases with multifocal collimators for supine, prone and CT-based corrections. 2015 Society of nuclear medicine (SNM) annual meeting, June 6-10, Baltimore, USA (一般演題)

61) Kenichi Nakajima, Shinro Matsuo, Tomoaki Nakata, Koichi Okuda, Seigo Kinuya. Standardization of quantitative I-123 metaiodobenzylguanidine imaging algorithm for the assessment from diagnosis to prognosis in patients with heart failure. 2015 Society of nuclear medicine (SNM) annual meeting, June 6-10, Baltimore, USA (一般演題)

62) Koichi Okuda, Kenichi Nakajima, Y Kurihara, S Sugino, Shinro Matsuo, Junichi Taki, M Hashimoto, Seigo Kinuya. Standardization of cardiac I-123 metaiodobenzylguanidine washout rates derived from late 3 and 4 hours imaging. European Association of Nuclear Medicine (EANM) 2015, Oct 10-14, 2015, Humburg, Germany (Eur Heart J Cardiovascular Imaging 2015; 16(Suppl. I) i23.)

63) Kenichi Nakajima, Koichi Okuda, Shinro Matsuo, Tomoaki Nakata, Seigo Kinuya. Effect of standardization of I-123 MIBG heart-to-mediastinum ratio on the prognostic threshold: application to multicenter database of chronic heart failure. European Association of Nuclear Medicine (EANM) 2015, Oct 10-14, 2015, Humburg, Germany (一般演題).

64) Kenichi Nakajima, Shinro Matsuo, Koichi Okuda, Kunihiro Yokoyama, Hisashi Bunko, Seigo Kinuya. Detection of myocardial ischemia using artificial neural network: different characteristics from conventional defect scoring methods. European Association of Nuclear Medicine (EANM) 2015, Oct 10-14, 2015, Humburg, Germany (一般演題).

65) Shinro Matsuo, Kenichi Nakajima, Seigo Kinuya, Kazuhiko Takahara. Cardiac involvement in systemic sclerosis patients can be detected by dual single-photon emission computed tomography of thallium-201 and iodine-123-beta-methyl-p-iodophenyl-pentadecanoic acid scintigraphy. European Association of Nuclear Medicine (EANM) 2015, Oct 10-14, 2015, Humburg, Germany (一般演題).

66) Yuko Banno, Masahisa Onoguchi, Kenichi Nakajima, Shinro Matsuo. Performance of image evaluation due to the difference in the acquisition

time using multifocal collimator with ^{99m}Tc myocardial SPECT: evidence from phantom study. European Association of Nuclear Medicine (EANM) 2015, Oct 10–14, 2015, Humburg, Germany (一般演題).

67) **Shinro Matsuo**, Kenichi Nakajima, Romoaki Nakata, Seigo Kinuya.

Identical prognostic values of MIBG imaging in both ischemic and nonischemic heart failure etiologies. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

68) Koichi Okuda, Kenichi Nakajima, Chisato Kitamura, M Hori, Y Kirihara, **Shinro Matsuo**, Junichi Taki, M Hashimoto, Seigo Kinuya. Multicenter phantom study of characteristics of gamma cameras with LEHR collimators in cardiac ^{123}I -MIBG imaging. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

69) Kenichi Nakajima, Tomoaki Nakata, **Shinro Matsuo**, A Jacobson, Koichi Okuda, Seigo Kinuya. Cardiac mortality risk chart in chronic heart failure: multivariate ^{123}I meta-iodobenzylguanidine risk model incorporating correction of collimator differences. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

70) Kenichi Nakajima, Koichi Okuda, **Shinro Matsuo**, Keisuke Kiso, Seigo Kinuya. Phase dyssynchrony parameters in gated myocardial perfusion imaging: Normal ranges and affecting factors in four software programs. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

71) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, T Konishi, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Assessment of left ventricular volume in small hearts using IQ-SPECT and conventional SPECT. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

72) Mieko Ohta, **Shinro Matsuo**. Comparison of the magnification difference on small heart in gated myocardial perfusion SPECT using active-based software. 2016 Society of nuclear medicine (SNM) annual meeting, June 6–10, SanDiego, USA(一般演題)

- 73) **Shinro Matsuo**. Clinical application of stress/rest myocardial perfusion imaging in the patients with chronic myocardial ischemia. CJK 2016, 2016 Chinese Society of Nuclear Medicine, July 14-17, 2016 Shenyang, China.
- 74) Kenichi Nakajima, Tomoaki Nakata, T Doi, T Kodomaki, **Shinro Matsuo**, Tetsuo Konno, T Yamada, A Jacobson. Validation of the 2-year cardiac mortality risk model using I-123 meta-iodobenzylguanidine in chronic heart failure. European Association of Nuclear Medicine (EANM) 2016, Oct 15-19, 2016, Barcelona. (一般演題).
- 75) Koichi Okuda, Kenichi Nakajima, C Kitamura, Masayo Hori, Y Kirihara, **Shinro Matsuo**, Junichi Taki, M Hashimoto, Seigo Kinuya. Characteristics of gamma cameras with medium-energy-type collimators in cardiac 123I-MIBG imaging: A multicenter MIBG phantom study in Japan. European Association of Nuclear Medicine (EANM) 2016, Oct 15-19, 2016, Barcelona. (一般演題).
- 76) **Shinro Matsuo**, Kenichi Nakajima, Koichi Okuda, Yuji Kunita, Seigo Kinuya. Comparison of phase dyssynchrony analysis among different software programs in patients with suspected or known coronary disease. European Association of Nuclear Medicine (EANM) 2016, Oct 15-19, 2016, Barcelona. (一般演題).
- 77) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, T Konishi, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Characteristics of single- and dual-energy images with thallium-201 myocardial IQ-SPECT system. European Association of Nuclear Medicine (EANM) 2016, Oct 15-19, 2016, Barcelona. (一般演題).
- 78) **Shinro Matsuo**, Kenichi Nakajima, Tomoaki Nakata. The cut-off value of heart-to-mediastinum ratio of MIBG in prognostic analysis may be identical between ischemic and non-ischemic profile in heart failure patients. 13th International Conference of Nuclear Cardiology (ICNC) 2017, 7-9 May, Viena Austria, (Eur Heart J Cardiac Imag 2017)
- 79) Koichi Okuda, Kenichi Nakajima, Chiemi Kitamura, Kosuke Yamashita, Yumiko Kirihara, **Shinro Matsuo**, Mitsumasa Hashimoto, Seigo Kinuya. Validation of cross-calibration method of I-123 MIBG heart-to-mediastinum

ratio in different combinations of gamma cameras and collimators. 13th International Conference of Nuclear Cardiology (ICNC) 2017, 7–9 May, Vienna Austria, (Eur Heart J Cardiac Imaging 2017)

80) Kenichi Nakajima, Tomoaki Nakata, T Doi, T Kadokami, Shinro Matsuo, T Konno, T Yamada, A Jacobson. Is cardiac death predictable by I-123 metaiodobenzylguanidine risk model in chronic heart failure. 13th International Conference of Nuclear Cardiology (ICNC) 2017, 7–9 May, Vienna Austria, (Eur Heart J Cardiac Imaging 2017)

81) Kenichi Nakajima, Keisuke Kiso, Takashi Kudo, Tokuo Kasai, Yasuyo Tanigushi, Shinro Matsuo, M Nakagawa, Tomoaki Nakata, Satoshi Hida, H Tanaka, M Sarai, K Yokoyama. High-performance artificial neural network system for detecting ischemia using myocardial perfusion imaging. A multicenter project in Japan. 13th International Conference of Nuclear Cardiology (ICNC) 2017, 7–9 May, Vienna Austria, (Eur Heart J Cardiac Imaging 2017)

82) Shinro Matsuo, Hiroshi Wakabayashi, Kenichi Nakajima, Koichi Okuda, Hiroto Yoneyama, Seigo Kinuya. The quantitative SPECT scoring of MIBG scintigraphy in patients with dementia. 2nd International Taiwan Conference of Neurology. Taipei, Taiwan, May 17–19, 2017.

83) Shinro Matsuo, Kenichi Nakajima, Tomoaki Nakata. Multicenter study of sympathetic nerve imaging revealed the best cut-off value in heart failure patients irrespective of ischemic profile. The 11th Congress of Asian Society of Cardiovascular Imaging, Kyoto, Japan, June 1–3, 2017.

84) Kenichi Nakajima, Tomoaki Nakata, Takahiro Doi, Toshiaki Kadokami, Shinro Matsuo, Tetsuo Konno, Takahisa Yamada, Arnold F. Jacobson.

Prediction of heart failure death based on 2-year cardiac mortality risk model: reclassification analysis compared with conventional variables. 2017 Society of nuclear medicine (SNM) annual meeting, June 10–14, Denver, Colorado, USA (一般演題) (J Nucl Med 2017 58:366)

85) Koichi Okuda, Kenichi Nakajima, Shinro Matsuo, Soichiro Kashiwaya, Hiroto Yoneyama, Takayuki Shibutani, Masahisa Onoguchi, Mitsumasa Hashimoto, Seigo Kinuya. Evaluation of left ventricular dyssynchrony by

phase analysis in gated myocardial perfusion SPECT: comparison of four software programs. 2017 Society of nuclear medicine (SNM) annual meeting, June 10–14, Denver, Colorado, USA (一般演題) (J Nucl Med 2017 58:231)

86) Kenichi Nakajima, Keisuke Kiso, Yasuyo Taniguchi, Takashi Kudo, Tokuo Kasai, **Shinro Matsuo**, Masayasu Nakagawa, Satoshi Hida, Hirokazu Tanaka, Masayashi Sarai, Tomoaki Nakata, Mitsuru Momose, Kunihiro Yokoyama, Koichi Okuda, Satoru Watanabe, Lars Edenbrandt. Application of artificial neural network for myocardial perfusion imaging. Asia Oceania Congress of Nuclear Medicine and Biology (AOCNMB) 2017. Yokohama, Japan, October 5–7, 2017.

87) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. The impact of image displays between color scale and monitor gamma setting for brain SPECT. Asia Oceania Congress of Nuclear Medicine and Biology (AOCNMB) 2017. Yokohama, Japan, October 5–7, 2017.

88) **Shinro Matsuo**, Hiroshi Wakabayashi, Kenichi Nakajima, Yuji Kunita, Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, Seigo Kinuya. Utility of quantitative MIBG SPECT scoring in IQ-SPECT: comparison with heart-to-mediastinum ratio. Asia Oceania Congress of Nuclear Medicine and Biology (AOCNMB) 2017. Yokohama, Japan, October 5–7, 2017.

89) **Shinro Matsuo**, Hiroshi Wakabayashi, Yomo Hiromasa, Hirohito Akatani, Satoru Watanabe, Kenichi Nakajima, Seigo Kinuya. Targeted α -based treatment with Ra-223 for metastatic castration-resistant prostate cancer. Asia Oceania Congress of Nuclear Medicine and Biology (AOCNMB) 2017. Yokohama, Japan, October 5–7, 2017.

90) **Shinro Matsuo**, Seigo Kinuya, Atsushi Mizomami, Kenichi Nakajima, Hiroshi Wakabayashi, Takeshi Kudoh. Dosimetry of Targeted Ra-223 Treatment for Metastatic Castration-Resistant Prostate Cancer. European Association of Nuclear Medicine (EANM) 2017, Oct 21–25, 2017 (Eur J Nucl Med Mol Imaging 2017;44: s795.)

91) **Shinro Matsuo**, Hiroshi Wakabayashi, Kenichi Nakajima, Koichi Okuda, Hitoshi Yoneyama, Seigo Kinuya. The quantitative SPECT/CT scoring of MIBG

cardiac scintigraphy to identify patients with Lewy body disease.

European Association of Nuclear Medicine (EANM) 2017, Oct 21–25, 2017, (Eur J Nucl Med Mol Imaging 2017;44: s439–440.)

92) **Shinro Matsuo**, Seigo Kinuya, Takashi Kudo. Ra-223 alpha-ray Treatment for Metastatic Castration-Resistant Prostate Cancer and Dosimetry. The 2nd International symposium of the network-type joint usage/research center for radiation disaster medical science. Feb 3–4, 2018. Nagasaki, Japan.

93) **Shinro Matsuo**, Hiroshi Wakabayashi, Hiroshi Mori, Takayuki Shibutani, Hiroto Yoneyama, Takahiro Konishi, Masahisa Onoguchi, Koichi Okuda, Kenichi Nakajima, Seigo Kinuya. MIBG SPECT scoring can be an imaging biomarker in patients with dementia using scoring of IQ-SPECT system and conventional collimator. 12th Congress of the World Federation of Nuclear Medicine and Biology (WFNMB 2018), Melbourne, Australia, 20–24, April 2018.

94) Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, Takahiro Konishi, Koichi Okuda, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. The utility of cross-calibration for heart-to-mediastinum ratio using planar image created from IQ-SPECT system. 12th Congress of the World Federation of Nuclear Medicine and Biology (WFNMB 2018), Melbourne, Australia, 20–24, April 2018.

95) Hiroto Yoneyama, Takayuki Shibutani, Masahisa Onoguchi, Takahiro Konishi, Koichi Okuda, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. Reducing the small-heart effect in pediatric gated myocardial perfusion single-photon emission computed Tomography. 12th Congress of the World Federation of Nuclear Medicine and Biology (WFNMB 2018), Melbourne, Australia, 20–24, April 2018.

96) Hiroshi Wakabayashi, Hiroto Yoneyama, Junichi Taki, Anri Inaki, Daiki Kayano, Norihito Akatani, Satoru Watanabe, Takafumi Yamase, Tomo Hiromasa, Ayane Toratani, Hiroshi Mori, Aki Takata, **Shinro Matsuo**, Kenichi Nakajima, Seigo Kinuya. The Utility of Tungsten Apron for γ -ray Protection. 12th Congress of the World Federation of Nuclear Medicine and Biology (WFNMB 2018), Melbourne, Australia, 20–24, April 2018.

- 97) **Shinro Matsuo**, Kenichi Nakajima, Yasuchika Takeishi, Tsunehiko Nishimura. 2018 Society of nuclear medicine (SNM) annual meeting, Pennsylvania Convention Center, Headquarter Hotel: Philadelphia Marriott, Philadelphia, Pennsylvania, USA, June 23-26. (一般演題) (J Nucl Med 2018; 509)
- 98) Mieko Ota, **Shinro Matsuo**, Takashi Kato. ^{99m}Tc -sestamibi washout reflect the salvaged myocardium after percutaneous coronary intervention in patients with acute myocardial infarction. 2018 Society of nuclear medicine (SNM) annual meeting, Pennsylvania Convention Center, Headquarter Hotel: Philadelphia Marriott, Philadelphia, Pennsylvania, USA, June 23-26. (一般演題) (J Nucl Med 2018; 1852)
- 99) **Shinro Matsuo**, Kenichi Nakajima, Hiroshi Mori, Hiroshi Wakabayashi, Seigo Kinuya. Metabolic Characteristics of Takotsubo Syndrome by BMIPP imaging. European Association of Nuclear Medicine (EANM) 2018, Oct 21-25, 2017 (Eur J Nucl Med Mol Imaging 2018;: s)
- 100) **Shinro Matsuo**, Masahisa Onoguchi, Takayuki Shibutani, Koichi Okuda, Takayumi Mochizuki, Hiroshi Wakabayashi, Kenichi Nakajima, Seigo Kinuya. Cardiac Time of Flight PET For Evaluating Myocardial Perfusion. European Association of Nuclear Medicine (EANM) 2018, Oct 21-25, 2017 (Eur J Nucl Med Mol Imaging 2018;: s)
- 101) Kenichi Nakajima, Koichi Okuda, Satoru Watanabe, **Shinro Matsuo**, Hiroshi Wakabayashi, Seigo Kinuya, Edenbrandt Lars. Effect of re-training on neural network diagnosis to detect ischemia in myocardial perfusion imaging: comparison of two models of trainings. European Association of Nuclear Medicine (EANM) 2018, Oct 21-25, 2017 (Eur J Nucl Med Mol Imaging 2018;: s)
- 102) Hiroshi Mori, **Shinro Matsuo**, Hiroshi Wakabayashi, Kenichi Nakajima, Seigo Kinuya. CT-attenuation correction of MIBG scoring in conventional and IQ-system for quantitative analysis of cardiac sympathetic nerve function. European Association of Nuclear Medicine (EANM) 2018, Oct 21-25, 2017 (Eur J Nucl Med Mol Imaging 2018;: s)

103) Shinro Matsuo, Masahisa Onoguchi, Atsushi. Mizokami, Kazufumi Nakajima, Hiroshi Mori, Hiroshi Wakabayashi, Takayuki Shibutani, Hiroto Yoneyama, Seigo Kinuya, Takeshi Kudo. Imaging and Dosimetry of Radium-223 in the Treatment for Bone Metastasis in patients with Castration-Resistant Prostate Cancer. East Asia Nuclear Medicine Association Congress 2018, Nov. 17-19, Taipei, Taiwan.

104) Hiroshi Mori, Shinro Matsuo, Hiroshi Wakabayashi, Kenichi Nakajima, Seigo Kinuya. Effectiveness of I-123 MIBG SPECT Scoring with IQ SPECT System in Cardiac Sympathetic Nerve Function. East Asia Nuclear Medicine Association Congress 2018, Nov. 17-19, Taipei, Taiwan.

105) Shinro Matsuo, Hiroshi Mori, Masahisa Onoguchi, Takayuki Shibutani, Koichi Okuda, Hiroshi Wakabayashi, Seigo Kinuya, Kenichi Nakajima. Metabolic Characteristics of Takotsubo Syndrome by BMIPP Imaging. East Asia Nuclear Medicine Association Congress 2018, Nov. 17-19, Taipei, Taiwan.

106) Shinro Matsuo, Hiroshi Mori, Koichi Okuda, Takayuki Shibutani, Masahisa Onoguchi, Hiroto Yoneyama, Takayuki Konishi, Hiroshi Wakabayashi, Kenichi Nakajima, Seigo Kinuya. Dementia with Lewy Body needs to be distinguished from Alzheimer's disease by MIBG imaging. 4th Taiwan International Congress of Parkinson's disease and Movement Disorder. Nov 23-25, 2018. Taipei, Taiwan.

reviewer

1. Lancet
2. American Journal of Cardiology (Impact Factor 3.514)
3. International Journal of Cardiology (Impact Factor 2.234)
4. Circulation Journal (Impact Factor 2.135)
5. Heart and Vessels (Impact Factor 0.829)
6. Internal Medicine (Impact Factor 0.574)
7. International Heart Journal (Impact Factor 0.514)
8. BMC Nuclear Medicine
9. BioMed International

10. Journal of Cardiology
11. Journal of Japanese College of Angiology
12. Annals of Nuclear Medicine
13. European Journal of Nuclear Medicine Molecular Imaging
14. International Journal of Radiology and Medical Imaging
15. Annals of Nuclear Cardiology
16. Journal of Nuclear Medicine
17. World Journal of Cardiology
18. Heart (Japanese Journal)

Editor

Clinical Nuclear Cardiology: From Basic to Risk Stratification

e-Book (Bentham Books)

Editorial Board

Annals of Nuclear Cardiology (日本心臓核医学会誌)

BioMed International